



T5 Standard

F14T5/835/ALTO 40PK

Philips T5 Fluorescent Lamps featuring ALTO® Lamp Technology offer increased energy savings and low toxicity in a slim profile.

Warnings and Safety

- · Lamp contains mercury.
- · Manage in Accord with Disposal Laws.
- See: www.lamprecycle.org or 1-800-555-0050

Product data

General Information	
Features	HE Alto® [High Efficiency Alto]
Cap-Base	G5 [G5]
Light Technical	
Color Code	835 [CCT of 3500K]
Luminous Flux	1,350 lumen
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3500 K
Luminous Efficacy (rated) (Nom)	86 lm/W
Color rendering index (CRI)	82
Operating and Electrical	
Power Consumption	14.0 W
Lamp Current (Nom)	0.165 A
Controls and Dimming	
Dimmable	Yes

T5 [16 mm (T5)]
1.4 mg
14W/835 Min Bipin T5 HE ALTO UNP/40
230797
1
40
927990483522
F14T5/835/ALTO 40PK
50046677230796

Datasheet, 2023, April 16 data subject to change

T5 Standard


Dimensional drawing

 Product
 D (max)
 A (max)
 B (max)
 B (min)
 C (max)

 14W/835 Min Bipin T5 HE ALTO
 17 mm
 549.0 mm
 556.1 mm
 553.7 mm
 563.2 mm


 UNP/40


Photometric data



Spectral Power Distribution Colour - 14W/835 Min Bipin T5 HE ALTO UNP/40

Lifetime






Life Expectancy Diagram - 14W/835 Min Bipin T5 HE ALTO UNP/40

Life Expectancy Diagram - 14W/835 Min Bipin T5 HE ALTO UNP/40

T5 Standard

Lifetime



Lumen Maintenance Diagram - 14W/835 Min Bipin T5 HE ALTO UNP/40



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.