

21W 34.5" 4100K Cool White Micro Fluorescent T5 Grounded Light Fixture GAU-34-1L-T5-5.15

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



21W 34.5" 4100K Cool White Micro Fluorescent T5 Grounded Light Fixture

Lamp Type: Micro Fluorescent

Dimensions: 34.5"L x 0.75"W x 1.625"D

Weight: 15lbs

Voltage: 120V AC (Line Voltage)

Total Watts: 21W

Lamp Life: 18,000 Hours

Color Temp: 4100K (Cool White)

Color Rendering Index: 82 CRI

Dimmable: No

Operating Temp Rating: T5

On/Off Switch: Rocker

Housing Material: Aluminum, White

Lens: Acrylic Cover

Mounting: Surface, Wall

Wiring: 6-foot Power Cord w/ 3-prong 5-15P Grounded Plug

Grounded: 3-Wire Grounded

Ratings/Approvals

Suitable for Indoor Use

UL Listed

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

The Larson Electronics GAU-34-1L-T5-5.15 Micro Fluorescent Grounded Light Fixture is designed for backlighting, cabinet lighting, desk lighting and other indoor spaces. This 21-watt unit measures 34.5 inches in length and offers high quality cool white lighting with 4100K color temperature and 82 CRI rating. The energy-efficient lamp is equipped with an electronic ballast and operates silently, making it ideal for supporting detailed tasks.

The GAU-34-1L-T5-5.15 Micro Fluorescent Grounded Light Fixture features a T5 bulb (bi-pin G5 bulb base) that is capable of providing up to 18,000 hours of operation. The 34.5-inch luminary runs on standard 120V AC power. This 21-watt unit emits a cool white light with 4100K color temperature and 82 CRI rating. A simple rocker switch is available for turning the light on and off. It is important to consider that dimming is not available for this model. This luminary is housed in sturdy aluminum (white) with a transparent acrylic cover.

Wiring: The GAU-34-1L-T5-5.15 comes with a 6-foot power cord and a three-prong 5-15P grounded plug. The grounding on this light is 3-wire.

Mounting: This Micro Fluorescent Fixture may be surface/wall mounted

(mounting hardware included). When connecting to power, the unit can either plug-in or hardwire directly to power. To plug-in, use the included power cord. To hardwire, a hardwire box is required (sold separately).


Applications: Backlighting, cabinet lighting, cove lighting, desk lighting, display case lighting, exhibits, merchandising, over cabinet lighting, shelf lights, showcase lighting, task lighting, trade show lighting, under cabinet lighting and indoor spaces.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)









Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)