



Philips SILHOUETTE® Series
T5 Circular & High Output
Circular Fluorescent Lamps

*Ideal for offices and
commercial establishments
where smaller, more
appealing fixture designs
are required*

SILHOUETTE® SERIES

Powerful, ultra-slim circular lamps

Philips SILHOUETTE® Series T5 Circular and HO Circular lamps are ultra-slim with improved color rendering, higher efficacy, and longer life. T5 HO circular lamps offer extraordinary light output.

Slim profile lamp and ballast

- Design flexibility
- Improved optical control
- Fixtures can be 45% smaller than standard T9 circline systems

Better for the environment

- Dimmable for additional energy savings
- Energy efficient
- Less material means less waste
- Longer life

SILHOUETTE® T5 HO circulars offer 70% more lumens than standard SILHOUETTE® T5 circular lamps

Operates on programmed start ballasts

PHILIPS
sense and simplicity

Philips SILHOUETTE® Series T5 Circular and High Output (HO) Circular Fluorescent Lamps


Ordering, Electrical and Technical Data

Product Number	Description	Nom. Watts	Bulb	Base	Std. Pkg. Qty.	Color Temp. (Kelvin)	CRI	Outer Diam. (In.)	Rated Avg. Life (Hrs) ¹		Approx. Initial Lumens ^{4,5}	Design Lumens ⁶
									3-Hour Start ²	12 Hour Start ³		
SILHOUETTE™ Series T5 Circular Fluorescent Lamps												
16601-7	TL5C 22W/830	22	T5	2GX13	10	3000	85	9	16,000	20,000	1800	1530
14856-9	TL5C 22W/835	22	T5	2GX13	10	3500	85	9	16,000	20,000	1800	1530
16600-9	TL5C 22W/840	22	T5	2GX13	10	4000	85	9	16,000	20,000	1800	1530
16596-8	TL5C 40W/830	40	T5	2GX13	10	3000	85	12	16,000	20,000	3300	2805
14859-3	TL5C 40W/835	40	T5	2GX13	10	3500	85	12	16,000	20,000	3300	2805
16598-4	TL5C 40W/840	40	T5	2GX13	10	4000	85	12	16,000	20,000	3300	2805
SILHOUETTE™ Series T5 High Output (HO) Circular Fluorescent Lamps												
16593-6	TL5C 55W/830	55	T5	2GX13	10	3000	85	12	16,000	20,000	4200	3580
14862-7	TL5C 55W/835	55	T5	2GX13	10	3500	85	12	16,000	20,000	4200	3580
16592-8	TL5C 55W/840	55	T5	2GX13	10	4000	85	12	16,000	20,000	4200	3580

- 1) Rated average life is the length of operation (in hours) at which point an average of 50% of a large sample of lamps will still be operational and 50% will not.
- 2) Average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently.
- 3) Average life under engineering data with lamps turned off and restarted once every 12 operating hours.
- 4) Approximate initial lumens. The lamp lumen output is based upon lamp performance after 100 hours of operating life, when the output is measured during operation on a reference ballast under standard laboratory conditions.
- 5) For expected lamp lumen output, commercial ballast manufacturers can advise the appropriate ballast factor for each of their ballasts when they are informed of the designated lamp. The ballast factor is a multiplier applied to the designated lamp lumen output.
- 6) Design lumens are the approximate lamp lumen output at 40% of the lamp's rated average life. This output is based upon measurements obtained during lamp operation on a reference ballast under standard laboratory conditions.


85% Lumen Maintenance

SILHOUETTE® Series T5 Circular and HO Circular Fluorescent Lamp



Rated Average Life

SILHOUETTE® Series T5 Circular and HO Circular Fluorescent Lamp



Specifications are subject to change without notice.
 © 2007 Philips Lighting Company. All rights reserved.
 Printed in USA 07/07

P-5386-A
www.philips.com

Philips Lighting Company
 200 Franklin Square Drive
 P.O. Box 6800
 Somerset, NJ 08875-6800
 1-800-555-0050
 A Division of Philips Electronics North America Corporation

Philips Lighting
 281 Hillmount Road
 Markham, Ontario
 Canada L6C 2S3
 1-800-555-0050
 A Division of Philips Electronics Ltd.

Printed on chlorine free paper from Sappi Fine Paper mills, who are accredited with EMAS environmental certification. Sappi claims that the pulp used in the manufacture of Magno Dull paper is derived from environmentally certified forests.