



Products (<https://www.eaton.com/us/en-us/products.html>) >

Electrical circuit protection (<https://www.eaton.com/us/en-us/products/electrical-circuit-protection.html>) >

Fuses and fuse holders (<https://www.eaton.com/us/en-us/products/electrical-circuit-protection/fuses-and-fuse-holders.html>) >

Bussmann series CSA Type P and D Fuses (<https://www.eaton.com/us/en-us/catalog/fuses-and-fuse-holders/bussmann-series-csa-type-p-fuses.html#tab-2>) >

PONC60



(<https://knowledgehub.eaton.com/s/global-search/Bussmann+series+CSA+Type+P+and+D+Fuses>)



PONC60

Eaton Bussmann series PON fuse, Ferrule design,  
Type P, 60 A, Non-indicating, 10 kAIC, Standard,  
10, 250 V



Product specifications

(<https://www.eaton.com/us/en-us/skuPage.PONC60.pdf>)  
Contact me about this solution  
(<https://www.eaton.com/us/en-us/support/electrical-circuit-protection/contact-me-bussmann-product.html?primaryProductTaxonomy=electrical-circuit-protection%2Ffuses-and-fuse-holders&productPagePath=%2Fus%2FskuPage.PONC60>)

How to buy ▾



Download

([https://www.eaton.com/mdmfiles/PDM14255426/PONC60\\_C/1000x1000\\_300dpi](https://www.eaton.com/mdmfiles/PDM14255426/PONC60_C/1000x1000_300dpi))



GENERAL SPECIFICATIONS

|                      |                                 |
|----------------------|---------------------------------|
| Product Name         | Eaton Bussmann series PON fuse  |
| Catalog Number       | PONC60                          |
| UPC                  | 782634804291                    |
| Product Length/Depth | 3.02 in                         |
| Product Height       | 0.83 in                         |
| Product Width        | 0.83 in                         |
| Product Weight       | 0.12 lb                         |
| Warranty             | No warranty                     |
| Compliances          | Not Applicable                  |
| Certifications       | CSA Certified<br>Not Applicable |

ELECTRICAL RATING

|                  |         |
|------------------|---------|
| Amperage Rating  | 60 A    |
| Interrupt rating | 10 kAIC |
| Voltage rating   | 250 V   |

PHYSICAL DETAILS

|                |          |
|----------------|----------|
| Packaging type | Standard |
|----------------|----------|

GENERAL INFORMATION

|                  |                           |
|------------------|---------------------------|
| Fuse indicator   | Non-indicating            |
| Quantity         | 10                        |
| Special features | Ferrule design,<br>Type P |

Export product specification

 [Export product specification to Excel \(.XLSX\)](#)



(<https://knowledgehub.eaton.com/s/global-search/Bussmann+series+CSA+Type+P+and+D+Fuses>)