# **ST1 T5 R - INDUSTRIAL STRIP 1 LAMP T5**

### General

Industrial xture using the latest T-5 uorescent technology.

F54T5HO lamps give over 100% more lumens than F34T12 lamps.

### **Housing & Finishing**

Die-formed cold rolled steel nished in pre-painted high-gloss white. Shallow body due to new electronic ballasts.

### **Options**


Asymmetrical re ectors.

Specular re ectors of high-gloss polished metal.

Slotted re ectors provide 10% upliaht.

Wire guards protect the xtures from impact and breakage.

# Project Catalog # Volts Ballast Type Type Date I Approved by 3" [76mm]




### Electrical

Available only in electronic ballasts.

Available voltages: 120V/277V/347V and UNV.


**Approval** 


# **Ordering Information**



### **Product Availability**

Item	Dimensions (L x W x D)	Lamps/ Cross Section	Lamps/ Fixture	Lamp Watt T5 T5HO	
ST 148-T5-R	46" x 6 1/2" x 3 1/4"	1	1	28	54
ST 196T-T5-R	92" x 6 1/2" x 3 1/4"	1	2	28	54





ST1 T5 R Right Angle Cross Section View






ST1 T5 R Asymmetric Cross Section View


# **REFLECTOR OPTIONS**

# (available in T8 or T5/T5HO)


# **STANDARD**




**ST1 R Cross Section View** 




ST1-W-R Cross Section View




ST1 T5 R Cross Section View




**ASYMMETRIC** 




ST1 AS Cross Section View




ST1-W-AS Cross Section View



ST1 T5 R Right Angle Cross Section View



ST1 T5 R Asymmetric Cross Section View




SM1 T5 Cove Cross Section \*

-AR-COVE




# **T5/T5HO SIDE & BASE VIEWS – ST 1, SM 1, SM 2\***

# **SIDE VIEW (all sizes, \*all types)**




# **BASE VIEWS**

# ST 148-T5 (46"L - \*all types)



# ST 136-T5 (34"L - \*all types)



# ST124-T5 (22"L - \*all types)

